

#### Trauma Services

No. 4040

Page: 1 of 2

Effective Date: 12/05/2022

Chest Tube- Shared

## **PURPOSE:**

Provide guidelines for managing and discontinuing pleural chest tubes

# **POLICY STATEMENT:**

Pleural chest tubes are provided when necessary for management of hemothorax, pneumothorax, or hydrothorax.

## **ENTITIES AFFECTED BY THIS POLICY (SCOPE):** WPP Trauma/Surgery

### WHO SHOULD READ THIS POLICY:

This policy shall be read by department supervisors, managers, directors, and administrators. Furthermore, any individual considering issuing, revising, assisting in the drafting of, or archiving a policy.

#### **PROCEDURES:**

- Pleural chest tube inserted and placed to 20 cm suction
  - a. Consider utilization of tube size less than or equal to 28 french.
- II. Chest x-ray to verify placement.
  - a. If tube is nonfunctional, consider reposition and repeat chest x-ray
  - b. If tube is in place, continue suction
- Repeat Chest x-ray in greater than or equal to 24 hours III.
  - a. If air leak is present, continue suction and repeat chest x-ray in 24 hours.
  - b. If no air leak is present, place to water seal. Repeat chest x-ray in 6 hours.
- IV. If no pneumothorax present and output <150-200 ml serous drainage, discontinue chest tube or obtain follow up imaging.
  - a. Repeat chest x-ray in 6 hours.
  - b. If pneumothorax present, consider reinsertion of chest tube.

**Origination date:** *03/30/2017* 

Prepared by: MGR, TRAUMA PROGRAM

Approved by: MED DIR, TRAUMA, PHYSICIAN, SURGEON

**Reviewed:** 12/05/2022 **Revised:** 12/05/2022

Printed copies are for reference only. Please refer to the electronic copy for the latest

version.



### **Trauma Services**

No. 4040


Title:

Page: 2 of 2

ue.

Effective Date: 12/05/2022

Chest Tube- Shared



**Origination date:** *03/30/2017* 

**Prepared by:** MGR, TRAUMA PROGRAM

Approved by: MED DIR, TRAUMA, PHYSICIAN, SURGEON

**Reviewed:** *12/05/2022* **Revised:** *12/05/2022* 

Printed copies are for reference only. Please refer to the electronic copy for the latest

version.